



- e. Differentiate between addition polymerization and condensation polymerization with suitable example.
- f. State the significance of Triple point.
- g. IR spectra is often characterized as molecular fingerprints. Comment on it.
- h. Why is calgon conditions better than phosphate conditioning?
- i. What is meant by calorific value of a fuel?
- j. Write short note on biomass.

### Section-B

**Q.2 Attempt any five parts from the following (10×5=50)**

- a. The density of NaCl is 2.163 g/cc. Calculate the edge of its cubic cell, assuming that four molecules of NaCl are associated per unit cell.
- b. Calculate the mass of air needed for complete combustion of 5.0 kg of coal containing 80% carbon 15% hydrogen and rest oxygen.
- c. Explain the corrosion phenomenon involving oxide film growth law.



- d. What are copolymers? How does Buna-s differs from Buna-N?
- e. How do you prepare the following polymers  
(i) Bakelite (ii) Nylon-6 (iii) Nylon66 (iv) Dacron.
- f. A water sample contains the following inpuities  $\text{Ca}^{++}=20\text{ppm}$ ,  $\text{Mg}^{2+}=18\text{ppm}$ ,  $\text{Heo}3^- = 183\text{ppm}$  and  $\text{SO}_4^{2-} = 24 \text{ ppm}$ . Calculate the amount of lime and soda needed for softening.
- g. (i)  $\text{S}_\text{N}^1$  lead by racemic mixture. Where as  $\text{S}_\text{N}^2$  gives rise to inverted product.  
(ii) Optical isomerism of lactic acid.
- h. Define infrared spectroscopy? Describe the various molecular vibrations in the technique.

### Section-C

**Q.3 Attempt any two questions from this section (15×2=30)**

- (a) What are the fullerenes? Discuss their properties and uses.
- (b) Calculate the bond order of  $\text{N}_2^-$ , CO, NO, and  $\text{O}_2^+$ .

(3)

P.T.O.

- Q.4 (a) How is the calorific value of a solid fuel determined using bomb calorimeter experiments?
- (b) Why is it conventional to express hardness of water in terms of  $\text{CaCO}_3$  at the international level? Write other units also.
5. (a) What are corrosion inhibitors? Explain with examples how anodic and cathodic inhibitors provide protection against corrosion.
- (b) Sample of coal contains C=93%, H=6% and ash=1%. The following data was obtained when the above coal was tested in bomb calorimeter.
- (i) Wt. of coal burnt=0.92 g
  - (ii) Wt of water taken=2200g.
  - (iii) Water equivalent of bomb calorimeter=550g
  - (iv) Rise in temperature=2.42°C
  - (v) Fuse wire correction = 10.0 cal
  - (vi) Acid correction = 50.0 cal.
- Calculate gross and net calorific value of the coal, assuming the latent heat of condensation of steam as 580 cal/g.
- (c) Explain Zeolite process of water softening.