

B.TECH.
THEORY EXAMINATION (SEM-IV) 2016-17
MATHEMATICS-II

Time : 3 Hours

Max. Marks : 70

Note : Be precise in your answer. In case of numerical problem assume data wherever not provided.

SECTION - A

1. Attempt any seven parts for the following: 7 x 2 = 14

- (a) Solve the differential equation $\frac{d^2y}{dx^2} = -12x^2 + 24x - 20$ with the condition $x = 0, y = 5$ and $x = 0, y = 21$ and hence find the value of y at $x = 1$.
- (b) For a differential equation $\frac{d^2y}{dx^2} + 2\alpha\frac{dy}{dx} + y = 0$, find the value of α for which the differential equation characteristic equation has equal number.
- (c) For a Legend polynomial prove that $P_n(1) = 1$ and $P_n(-1) = (-1)^n$
- (d) For the Bessel's function $J_n(x)$ prove the following identities:
 $J_{-n}(x) = (-1)^n J_n(x)$ and $J_{-n}(-x) = (-1)^n J_n(x)$
- (e) Evaluate the Laplace transform of Integral of a function $L\left\{\int_0^t f(t/dt)\right\}$.
- (f) Evaluate the value of integral $\int_0^\infty t \cdot e^{-2t} \cos t \, dt$.
- (g) Find the Fourier coefficient for the function $f(x) = x^2 \quad 0 < x < 2\pi$
- (h) Find the partial differential equation of all sphere whose centre lie on Z-axis.
- (i) Formulate the PDE by eliminating the arbitrary function from $\phi(x^2 + y^2, y^2 + z^2) = 0$
- (j) Specify with suitable example the classification Partial Differential Equation (PDE) for elliptic, parabolic and hyperbolic differential equation.

SECTION - B

2. Attempt any three parts of the following questions: 3 x 7 = 21

- (a) A function $n(x)$ satisfies the differential equation $\frac{d^2n(x)}{dx^2} - \frac{n(x)}{L^2} = 0$, where L is a constant. The boundary conditions are $n(0) = x$ and $n(\infty) = 0$. Find the solution to this equation.
- (b) Find the series solution by Forbenias method for the differential equation $(1 - x^2)y'' - 2xy' + 20y = 0$
- (c) Determine the response of damped mass - spring system under a square wave given by the differential equation $y'' + 3y' + 2y = u(t - 1) - u(t - 2), \quad y(0) = 0, \quad y'(0) = 0$
Using the Laplace transform.
- (d) Obtain the Fourier expansion of $f(x) = x \sin x$ as cosine series in $(0, \pi)$ and hence show that
$$\frac{1}{1 \times 3} - \frac{1}{3 \times 5} + \frac{1}{5 \times 7} - \dots = \left(\frac{\pi - 2}{4}\right)$$
- (e) Solve by method of separation of variable for PDE $x \frac{\partial u}{\partial x} + 2 \frac{\partial u}{\partial y} = 0, \quad u(x, 0) = 4e^{-x}$

SECTION - C

7 x 5 = 35

Attempt all parts of the following questions:

3. Attempt any two parts of the following:

(a) Find the particular solution of the differential equation

$$\frac{d^2y}{dx^2} + a^2 = \sec ax$$

(b) If $y = y_1(x)$ and $y = y_2(x)$ are two solutions of the equation $\frac{d^2y}{dx^2} + P(x)\frac{dy}{dx} +$

$$Q(x)y = 0, \text{ then show that } y_1 \left(\frac{dy_2}{dx} \right) - y_2 \left(\frac{dy_1}{dx} \right) = ce^{-\int P dx}, \text{ where } c \text{ is constant.}$$

(c) Solve by method of variation of Parameter for the differential equation :

$$\frac{d^2y}{dx^2} - 6\frac{dy}{dx} + ay = \left(\frac{e^{3x}}{x^2} \right)$$

4. Attempt any two parts of the following:

(a) Prove that $\sqrt{\frac{\pi x}{2}} \cdot J_{3/2}(x) = \left(\frac{1}{x} \sin x - \cos x \right)$ (b) Show that Legendre polynomials are orthogonal on the interval $[-1, 1]$ (c) Prove that $\int_{-1}^{+1} x P_n(x) dx = \frac{2n}{4n^2 - 1}$

5. Attempt any two parts of the following:

(a) Find the Laplace transform of S_{RW} - tooth wave function

$$F(t) = Kt \text{ in } 0 < t < 1 \text{ with period } 1$$

(b) Use Convolution theorem to find the inverse of function $F(s) = \frac{4}{s^2 + 2s + 5}$

(c) Solve the simultaneous differential equation, using Laplace transformation -

$$\frac{dy}{dt} + 2x = \sin 2t; \quad \frac{dy}{dt} - 2y = \cos 2t, \text{ where } x(0) = 1, y(0) = 0$$

6. Attempt any two parts of the following:

(a) If $f(x) = \left[\frac{\pi - x}{2} \right]^2$, $0 < x < 2\pi$ then show that $f(x) = \frac{\pi^2}{12} - \sum_{n=1}^{\infty} \frac{1}{n^2} \cos nx$

(b) Find the complete solution of PDE

$$(\Delta^2 + 7\Delta D' + 12D'^2)/2 = \sin hx, \text{ where symbols have their usual meaning.}$$

(c) Solve the PDE $p + 3q = 5z + \tan(y - 3x)$

7. Attempt any one part of the following:

(a) A square plate is bounded by lines $x = 0, y = 0; x = 20, y = 20$. Its faces are insulated. The temperature along the upper horizontal edge is given by $u(x, 20) = x(20 - x)$ when $0 < x < 20$ while the upper three edges are kept at 0°C . Find the steady state temperature.(b) A bar of 10 cm long with insulated sides A and B are kept at 20°C and 40°C respectively until steady state conditions prevail. The temperature at A is then suddenly varies to 50°C and the same instant that at B lowered to 10°C . Find the subsequent temperature at any point of the bar at any time.

CORRECTIONS - RAS203

SECTION - A

Q 1

- (a) Solve the differential equation $\frac{d^2y}{dx^2} = -12x^2 + 24x - 20$ with the condition $x = 0, y = 5$ and $x = 2, y = 21$ and hence find the value of y at $x = 1$.
- (b) For a differential equation $\frac{d^2y}{dx^2} + 2\alpha\frac{dy}{dx} + y = 0$, find the value of α for which the differential equation characteristic equation has equal number of roots.
- (c) Evaluate the Laplace transform of Integral of a function $L\left\{\int_0^t f(t). dt\right\}$.

SECTION - C

3. Attempt any two parts of the following:

- (a) Find the particular solution of the differential equation

$$\frac{d^2y}{dx^2} + \alpha^2 y = \sec ax$$

- (c) Solve by method of variation of Parameter for the differential equation :

$$\frac{d^2y}{dx^2} - 6\frac{dy}{dx} + 9y = \left(\frac{e^{3x}}{x^2}\right)$$

5. Attempt any two parts of the following:

- (a) Find the Laplace transform of SAW - tooth wave function

$$F(t) = Kt \quad \text{in } 0 < t < 1 \quad \text{with period } 1$$

6. Attempt any two parts of the following:

- (b) Find the complete solution of PDE

$$(D^2 + 7DD' + 12D'^2)z = \sin hx, \quad \text{where symbols have their usual meaning.}$$