Printed Pages: 4

TCS - 407

[Contd...

| (Following Paper ID and | Roll No. to | be | filled | in | your | Answer | Book) |
|-------------------------|-------------|----|--------|----|------|--------|-------|
| PAPER ID: 1072 | Roll No. [| | | | П | | |

B. Tech.

(SEM. IV) EXAMINATION, 2007-08 DATA STRUCTURING USING 'C'

Time: 3 Hours] [Total Marks: 100 Note: Attempt all questions. 1 Attempt any two parts of the following: (i) Define an array. (a) (ii) Consider the linear array, A (5:50), whose base address is 300 and the number of words per memory cell is 4. Find the address of A[15]. (iii) What do you mean by time complexity of an algorithm? (iv) The time complexity of an algorithm T(n), where n is the input size given by T(n)=T(n-1)+n, if n>1 and T(n)=1. otherwise is _____. Explain how you are getting the result? (b) Write an algorithm to evaluate a postfix 5 expression using a stack. Using the algorithm given by you in (ii) 3 question 1(b)(i), evaluate the following postfix expression. 5, 6, 2, +, *, 12, 4, 1, -Define: Stack U-1072]

| (c) | (i) | Explain with necessary algorithms the representation of stack using linked list an array. | 4 d |
|--------|-------|---|------------|
| | (ii) | How can a recurssive procedure be converted to a non-recursive one using stack? | 3 |
| | (iii) | Give a procedure to find the average of the values stored in a linear array, A. | 3 |
| Atte | mpt a | ny two parts of the following: | |
| (a) | (i) | Give an algorithms to insert an element after a given node in a linked list. | 5 |
| | (ii) | What is doubly linked list? | 2 |
| | (iii) | Explain with diagram how a linked list is represented in memory. | 3 |
| (b) | (i) | Give the procedure to delete a node from a two-way list. | 4 |
| | (ii) | What is a header linked list? | 2 |
| | (iii) | What is a deque? | 2 |
| | (iv) | What conditions will indicate that the circular queue is (a) Full (b) Empty | 2 |
| (c) | (i) | What is a queue? | 2 |
| st nev | (ii) | Suppose a queue is stored in a circular array with N memory cells. | |
| | | (a) Find the number of elements in a queue in terms of FRONT and REAR. | 3 |
| | | (b) When will the array be filled? | 1 |
| | (iii) | Write an algorithm to insert an element into a queue. | 4 |

| 3 | | | any four parts of the following: | |
|-----|------|------|--|--------------|
| | (a) | | What is a complete binary tree? | |
| | | (ii) | | |
| | | | and preorder traversal's node sequence |) |
| | | | are: Inorder: EACKFHDBG | |
| | | | Preorder: F A E K C D H G B. | |
| | | | Draw the tree. | |
| | (b) | | | 3+1+1 |
| | 001 | Wh | nat is its time complexity? Compare its time plexity with that of linear search. | |
| | (c) | Dis | cuss in brief the linear probing collision | 3+2 |
| | | resc | plution technique. What is the disadvantage | re Jiz |
| | | | this technique? How could it be overcom | |
| | (d) | (i) | What do you mean by collision and | 1+1 |
| | | | overflow in a hash table? | |
| | | (ii) | Discuss in brief the hash functions you know. | 3 |
| | (e) | Disc | cuss the Huffman's algorithm. | 5 |
| | (f) | | at is a heap? Give an algorithm to | 1+4 |
| | | | ert an element into a heap. | |
| | | | (e) (i) Aybut in a spanning tre? | |
| 4 | | | ny four : museumann build to | |
| | (a) | (i) | What is binary search tree? | 1 |
| | | (ii) | Give an algorithm for searching in a binary search tree. | 4 |
| | (b) | (i) | Derive the expression for time complex of heapsort. | ity 3 |
| | | (ii) | Arrange in increasing order of time | 2 |
| | | | complexity of the following algorithms: | |
| | | | Bubblesort, Heapsort, Insertion sort, | |
| | | | Quicksort. | |
| | (c) | (i) | Give the algorithm for bubble sort. | 3 |
| | | (ii) | What is its time complexity? | 2 |
| J-1 | 072] | | [Co | ntd |
| | | * U | 1 0 7 2 * | iitu |

| (d) | Discuss B trees in brief. |
|------------|---|
| (e) | (i) Which traversal of a Binary Search Tree 1 result in elements in sorted order? |
| | (ii) Obtain a height balanced tree starting 4 |
| | from an empty tree and then on the |
| | following sequence of insertions: March, |
| | May, November, August, April, January, |
| | December, July, February, June, October, |
| 1-5 | September. |
| (f) | Give algorithm for insertion into an AVL tree. 5 |
| | mass send do set priving vegetor |
| | wer any four : and and and an area |
| (a) | Give the algorithm for Breadth First Search. 4+1 |
| | What data structure do you use here? |
| (b) | (i) Define: path between two nodes in a 1+1 graph; connected graph. |
| | (ii) Discuss in brief the different representations of a graph. |
| (c) | (i) What is the advantage of indexing a file? 2 |
| | (ii) Compare indexing and hashing. 3 |
| (d) | Classify indices and discuss them in brief. 5 |
| (e) | (i) What is a spanning tre? |
| | (ii) Find the minimum spanning tree of the graph below. |
| | $A \leftarrow 6$ $B \rightarrow C$ |
| | too my consented at what |
| | 4 1 |
| | magle Same |
| | or nothern X |
| (f) | Write short notes on any one: $5x1=5$ |
| | (i) Sequential Files |
| | (ii) R ⁺ troop |

when six hime eampiexis?

5