



(Following Paper ID and Roll No. to be filled in your Answer Book)

PAPER ID : 110411

Roll No.

--	--	--	--	--	--	--	--	--	--

B. Tech.

(SEM. IV) THEORY EXAMINATION, 2014-15
COMPUTER GRAPHICS

Time : 2 Hours]

[Total Marks : 50

Note : Attempt all questions.

1 Answer any two parts of the following : **6×2=12**

- (a) Write merit and demerits of LCD (Liquid Crystal Display)
- (b) If base address of a frame buffer is 100 and screen size is (15 inch × 19 inch) with resolution is 13 dpi (dot per inch) calculate the memory location where the coordinate of pixels are store.
 - (i) Pixel P1 at A (200, 25)
 - (ii) Pixel P2 at B(75, 45)
- (c) Calculate value of pixels, which is scan converted by DDA algorithm and end point of line is (4,4) and (-3,0).

2 Attempt any two of the following : $6 \times 2 = 12$

- (a) Write Bresenham's algorithm of line and explain.
- (b) Explain the Sutherland-Cohen line clipping algorithm.
- (c) Differentiate between Raster and Vector Graphics.

3 Answer any two parts of the following : $6 \times 2 = 12$

- (a) Explain Phong and Warn model for illumination.
- (b) Let $P_0(0, 0)$, $P_1(1, 2)$, $P_2(2, 1)$, $P_3(3, 1)$, $P_4(4, 10)$ and $P_5(5, 5)$ be given data control points. If interpolation based on Bezier curve is used to find a curve interpolating these data points. Find parametric midpoint of the gradient and also calculate coordinate of parametric quartiles of the curve.
- (c) Explain various types of quadratic surfaces with their equation and blobby objects.

4 Answer any two parts of the following : $7 \times 2 = 14$

- (a) What do you understand by the term "Concatenation of transformations" ? What are its advantages ? If A and B are two different transformations, illustrate with suitable example that $A \cdot B \neq B \cdot A$.
- (b) Apply the Liang-Barsky to clip the line segment from A (3,7) to B (8,10) against the regular rectangular window P (1,2), Q (9,2), R (9,8) and S (1,8)
- (c) Explain midpoint circle algorithm.