

Printed Pages: 4

TEE502

(Following Paper ID and Roll No. to be filled in your Answer Book)

PAPER ID: 2056

Roll No.

B. Tech

(SEM V) ODD SEMESTER THEORY EXAMINATION 2009-10 CONTROL SYSTEM

Time: 3 Hours]


[Total Marks: 100

Note: Attempt all questions.


1 Attempt any four parts:

4×5=20

- (a) Explain open loop and closed loop controls with the help of suitable examples.
- (b) Discuss the effect of feedback on the following:
 - (i) Sensitivity
 - (ii) Stability
 - (iii) Error.
- (c) Find the transfer function of the system shown in the **fig.1** using Mason's gain formula



(d) Explain block diagram reduction technique to determine transfer function of a complicated system.



$$X=X_1+\beta_3U$$

 $X_1'=-a_1X_1+X_2\beta_2U$
 $X_2'=-a_2X_1+\beta_1U$

2 Attempt any four parts:

 $4 \times 5 = 20$

(a) For the system shown in the fig. 2 (i) determine ξ and ω_n without K_D (ii) K_D for $\xi=0.60$ with controller.




Fig. 2

- (b) Derive the formula for Peak overshoot, Rise time and Peak time.
- (c) Discuss the PI and PID controllers with their applications and their error constant.
- (d) A unity feedback system is characterized by the open loop transfer function

$$G(S) = \frac{1}{S(0.5S+1)(0.2S+1)}.$$

Determine the steady state errors for unit step and unit ramp input. Also determine the damping ratio and natural frequency of the dominant roots.

(e) For a general second order systems find the c(t), when input is unit step.

3 Attempt any two parts:

 $2 \times 10 = 20$

(a) (i) Determine the values of K>0 and a>0, so that system having:

$$G(S) = \frac{K(S+1)}{S^3 + aS^2 + 2S + 1},$$

H(S)=1 oscillates at a frequency 2 rad/s.

(ii) Find the stability of the following polynomial by Hurwitz criterion

$$F(S)=S^5+2S^4+3S^3+6S^2+2S+1$$

- (b) Discuss the constructional feature and working principle of AC servomotor.
- (c) Draw the root locus plot of:

$$1 + \frac{K(S+1)5)}{S(S+1)(S+5)(S+15)}$$

and also comment on its stability.

Attempt any two parts:

2×10=20

- (a) Establish the correlation between time response and frequency response analysis and suitably explain with diagrams.
- (b) Draw the bode plot of the given function

G(j\omega) =
$$\frac{4(1+j\omega/2)}{j\omega\left(1+\frac{j\omega}{10}-\left(\frac{\omega}{10}\right)^2\right)}.$$

(c) Sketch the Nyquist plot for the following transfer function

$$G(S)H(S) = \frac{K}{S^2(1+\tau S)}$$

For $K \ge 0$, $\tau \ge 0$.

(a) Express the following open loop transfer function in closed loop form using unity feedback. Draw the signal flow graph:

$$\frac{C(S)}{R(S)} = \frac{3}{S^4 + 2S^3 + 3S + 2}$$

(b) Design the lead compensator for a unity feedback control system with open loop transfer function

$$G(S) = \frac{K}{S(S+1)}$$

Such that velocity error constant $K_v = 10$ and phase margin of the system be at least 45°.

Discuss the working of the Lag-Lead (c) Compensator. Sketch the Bode Plot of Lag-Lead compensator. Give the design steps of a lag compensator.