Printed Pages: 3

NME-505

(Following Paper ID and Roll No. to be filled in your Answer Books)

Paper ID: 2012258

Roll No.

B.TECH.

Regular Theory Examination (Odd Sem - V), 2016-17

I.C. Engines & Compressors

Time: 3 Hours

Max. Marks: 100

Section - A

Note: Attempt all parts. All parts carry equal marks. Write answer of each part in short. $(10\times2=20)$

- 1 a) Define compression Ratio.
 - b) Compare SI and CI Engine with respect to Compression ratio & Ignition.
 - c) Why a rich mixture is required for maximum power?
 - d) What is supercharging in a IC engine?
 - e) Define ignition delay.
 - f) What is the cause for diesel smoke?
 - g) List the use of LPG as SI Engine fuel.
 - h) What is the significance of flash and fire points of a lubricant?
 - i) Differentiate between single stage and multi stage air compressor.
 - j) Define volumetric efficiency.

505/12/2016/14,120

(1)

[P.T.O.

Section - B

Note: Attempt any five questions from this section $(5\times10=50)$

- 2. An amount of a perfect gas has initial condition of volume 1m³, pressure 1 bar and temperature 18°C. It undergoes ideal diesel cycle operation, the pressure after isentropic compression being 50 bar and the volume after constant pressure expansion being 0.1 m³. Calculated the temperature at the major point of the cycle and evaluate the thermal efficiency of diesel cycle.
- 3. Briefly explain with a neat sketch the operation of a simple float type carburetor.
- **4.** Describe high tension magneto ignition system with a neat sketch.
- 5. Explain the stages of combustion in a CI Engine.
- **6.** How are the injection system classified? Describe them briefly.
- 7. A six cylinder, 4 stroke SI engine having a piston displacement of 700 cm³ per cylinder developed 78 kW at 3200 rpm and consumed 27 kg of petrol per hour. The calorific value of petrol is 44 MJ/kg. Estimate
 - a) Volumetric efficiency of the engine if the air fuel ratio is 12 and intake air is at 0.9 bar, 32°C.
 - b) Brake thermal efficiency and
 - c) Braking torque.

- 8. A single stage single acting reciprocating air compressor has a bore of 200 mm and a stroke of 300 mm. It receives air at 1 bar and 20° c delivered it at 5.5 bar. If the compression follows the $pv^{1.3} = C$ and clearance volume is 5% of stroke volume, determine:
 - a) Mean effective pressure,
 - b) Power to drive the compressor, if it runs at 500 rpm.
- **9.** Describe with a neat sketch the working principle of vane blower.

Section - C

Note: Attempt any two questions from this section $(2\times15=30)$

- 10. a) Explain the significance of fuel air cycle. (5)
 - b) Compare the following:
 - i) Two stroke and four stroke engine.
 - ii) Otto, diesel & dual cycle. (10)
- 11. a) Explain the stages of combustion in SI Engine. (7)
 - b) Sketch some important designs of open combustion chamber for CI engines. (8)
- 12. Discuss Engine cooling and lubrication systems in detail with required sketches. (20)

