(Following Paper ID and Roll No. to be filled in your Answer Books)

Paper ID: 2012230

| Roll No. |
|----------|
|----------|

B.TECH.

Regular Theory Examination (Odd Sem - VII), 2016-17

COMPUTER AIDED MANUFACTURING

Time: 3 Hours

Max. Marks: 100

SECTION-A

- 1. Attempt all parts. All parts carry equal marks. Write answer of each part in short. $(10\times2=20)$
 - a) State the reasons to justify the need for automation in manufacturing a product.
 - b) What are the advantages of automation?
 - c) List some of the application Numerical Control.
 - d) What are the methods used for improving accuracy of NC System?
 - e) Name the two types of controller used in the CNC Machine tool.
 - f) How feedback devices are classified in CNC System?
 - g) Distinguish between G and M function.
 - h) What are Geometry statements in APT?
 - i) List the benefits of Computer Aided Process Planning.
 - j) Define a robot.

NME-031/NPL-031

SECTION-B

Attempt any 5 questions from this section $(5\times10=50)$

- 2. Identify the various levels of automation in a production plant and explain their hierarchy with a flow chart.
- 3. Briefly explain automated manufacturing system.
- 4. Identify and briefly describe the three basic components of a numerical control (NC) system.
- **5.** Write short note on NC coordinate system.
- **6.** What is control system in CNC system and explain its functions?
- 7. Explain the features and elements of CNC machines.
- **8.** Explain the procedure for developing manual part program with example.
- **9.** Explain generative computer aided process planning in detail.

SECTION-C

Attempt any 2 questions from this section $(2 \times 15 = 30)$

- **10.** a) Explain the various features of modern CNC systems.
 - b) Explain the advantages of incremental programming over absolute system.

- 11. a) Classify automated systems used in manufacturing and write short notes on it.
 - b) Discuss how group technology is used in designing manufacturing cells.
- **12.** Write a part program for the following part with plate thickness of 5 mm.

Take spindle speed = 1500 rpm; feed rate = 100 mm/min.

