				Book
		I	П	I

## B. Tech.

## (SEM. VIII) THEORY EXAMINATION 2010-11 OPTICAL NETWORKS

Time: 3 Hours

Total Marks: 100

Note: (1) Attempt all questions.

- Each question carries equal marks.
- 1. Attempt any four parts of the following:

 $(5 \times 4 = 20)$ 

- (a) Write a short note on timing and synchronization in optical networks.
- (b) Draw a block diagram and explain the key elements of optical communication system.
- (c) Why non-linear effects arise in optical fibers? Explain the various non-linear effects in optical fiber.
- (d) Why there is a need of multiplexing in optical network? Explain the function of optical ADD/DROP Multiplexers.
- (e) What are Solitons? Explain its types and working.
- (f) Give a comparative account of the optical network layer and ISO-OSI model.

- Attempt any four parts of the following: (5×4=20)
  - (a) Give an account of the various architecture used for building large optical switches.
  - (b) Write short notes on :-
    - (i) Tunable VCSELs
    - (ii) Two and three section DBR lasers.
  - (c) State the principle of operation of Mach-Zehender interferometer.
  - (d) What are couplers ? Explain its working and principle of operation.
  - (e) Write short note on wavelength converter. Mention any one of the approaches used in realizing them.
  - (f) Derive the power transfer function of Fabry-Perot filter.
- 3. Attempt any two parts of the following:  $(10\times2=20)$ 
  - (a) Explain SONET/SDH frame structure in detail. Give a brief account of SONET/SDH layers with diagram.
  - (b) Discuss voice over IP method of implementation in optical communication system.
  - (c) Explain ATM, its advantages and function in detail and also explain how does an ATM establishes a connection between two end points for the purpose of transferring data with the help of an example.
- 4. Attempt any two parts of the following: (10×2=20)
  - (a) Differentiate between Light path topology design (LTD) problem and routing and wavelength assignment problem.

TEC

- For a point to point WDM (PWDM) ring design topology, calculate design parameters required in determining and minimizing network cost.
- (b) Why SONET/SDH are called self-healing? Explain the protection technique implemented in SONET/SDH rings.
- (c) Briefly explain network architecture overview in reference to optical network. Compare UPSR, BLSR/2, BLSR/4.
- Attempt any two parts of the following: (10×2=20)
  - (a) Explain the OTDM and Buffering functions performed by photonic packet switched (PPS) network.
  - (b) Explain optical switching on the basis of optical cross connect and optical burst switching.
  - (c) Explain internetworking between layers a WDM network carrying SONET traffic, Classified broadcast OTDM and Switch based Network.