Following Paper ID						,
PAPER ID: 2940	Roll No.					

B. Tech.

(SEM. VIII) THEORY EXAMINATION 2011-12 NON-DESTRUCTIVE TESTING

Time: 3 Hours

Total Marks: 100

Note: Attempt all questions.

- 1. Attempt any two parts of the following:— (10+10)
 - (a) What do you understand by Non-destructive testing?
 And explain the roll of Non-destructive testing on manufacturing today.
 - (b) Differentiate destructive and non-destructive testing. Explain rigging test for detection of surface cracks with the help of neat sketch.
 - (c) Explain procedure of visual inspection test and acceptance criteria of job.
- 2. Attempt any two of the following:— (10+10)
 - (a) Explain the working principle and steps involved in liquid penetrant test for detecting surface defect on the heat treated object.
 - (b) What do you understand by magnetic hysteresis? Explain different magnetization technique using magnetic particle testing, and their sensitivity.

EME062/PUR-40672

[Turn Over

1

- (c) Explain the importance of penetrant and developer. In a good penetrant and developer what are the required properties? Explain.
- 3. Attempt any two of the following:— (10+10)
 - (a) Calculate the Bragg's angle, if X- ray of wavelength 1.542 Å deflected by plane (121) and interatomic spacing is 2.43 Å. Assume first order reflection.
 - (b) Derive the Bragg's equation for detecting interplaner spacing and interatomic spacing of material by reflection of X-ray to the crystal plane.
 - (c) What do you understand by radiation? Explain with the help of neat sketch the method of X- ray generation.
- 4. Attempt any two of the following:— (10+10)
 - (a) Explain how acoustic impedance of material affects ultrasonic inspection. With the help of neat sketch explain the working of a piezoelectric transducer.
 - (b) What are the advantages of using ultrasonic inspection as compared to the X- ray radiography? Explain two ultrasonic inspection techniques for detection of sub layer cracks in the materials.
 - (c) Explain the various factors affecting pulse generated from the ultrasonic probe and write the importance of couplant used in ultrasonic inspection.
- 5. Attempt any four of the following:— (5+5+5+5)
 - (i) Distinguish between eddy current inspection method and magnetic particle testing.

EME062/PUR-40672

- (ii) Discuss the need and necessity of demagnetization of object after magnetic particle testing.
- (iii) Explain magneto optics imaging technique using in eddy current inspection.
- (iv) Describe the working principle of eddy current inspection in brief.
- (v) Photoelectric effect.
- (vi) Plane Polarization of electromagnetic waves.